

Specifications

Torque Specification	
passenger handhold adjusting nut	13 lbf·ft (17 N·m, 1.7 kgf·m)
passenger handhold lock nut	20 lbf·ft (26.5 N·m, 2.7 kgf·m)
engine oil filter cover bolts	9 lbf·ft (12 N·m, 1.2 kgf·m)
DCT oil filter cover bolts	9 lbf·ft (12 N·m, 1.2 kgf·m)
engine oil drain bolts (oil pan and oil tank)	21 lbf·ft (29 N·m, 3.0 kgf·m)
sub-transmission oil drain bolt	22 lbf·ft (29 N·m, 3.0 kgf·m)
front final gear oil fill cap	9 lbf·ft (12 N·m, 1.2 kgf·m)
front final gear oil drain plug	9 lbf·ft (12 N·m, 1.2 kgf·m)
rear final gear oil check bolt	9 lbf·ft (12 N·m, 1.2 kgf·m)
rear final gear oil fill cap	9 lbf·ft (12 N·m, 1.2 kgf·m)
rear final gear oil drain plug	9 lbf·ft (12 N·m, 1.2 kgf·m)
air cleaner mounting screws A and B	3.7 lbf·ft (5 N·m, 0.5 kgf·m)
spark arrester mount bolts	9 lbf·ft (11.8 N·m, 1.2 kgf·m)
wheel nuts	80 lbf·ft (108 N·m, 11 kgf·m)